



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PUBLIC HEALTH REPORTS.

UNITED STATES.

[Reports to the Surgeon-General, Public Health and Marine-Hospital Service.]

Reports from South Atlantic Quarantine Station, Ga.—Smallpox on Sapelo Island.

Passed Assistant Surgeon Gwyn reports, June 2 and 4, as follows:

Smallpox is present on the island of Sapelo. The patient is an infant, age 3 weeks, whose parents have just recovered from the disease.

The secretary of the Georgia State board of health and the health officer at Darien will be notified by this mail.

Further information indicates that the disease was imported from Brunswick, Ga. Two relatives of the family came from Brunswick several weeks ago. Both had the eruption well marked at the time. One was said to have been quite sick. After their recovery they left the settlement, destination unknown. The disease has probably been present for more than a month, with 5 cases and no deaths. Several laborers from this settlement are engaged in loading the lumber vessels on Front River, about 13 miles distant. There is a turpentine camp very near the settlement, but I understand that most of the laborers employed there have left.

Quarantine at New Orleans against Ceiba, Honduras.

The following is received from Dr. C. H. Irion, president of the Louisiana State board of health:

June 8, 1906: Have established quarantine against all passengers from Ceiba, Spanish Honduras, effective this date, vessels in transit excepted.

STATISTICAL REPORTS OF STATES AND CITIES OF THE UNITED STATES,
YEARLY AND MONTHLY.

CALIFORNIA—*Stockton*.—Month of May, 1906. Estimated population, 20,000. Total number of deaths, 19, including 3 from tuberculosis.

CONNECTICUT—*Stamford*.—Month of May, 1906. Estimated population, 21,000. Total number of deaths not reported. One death from diphtheria reported.

GEORGIA—*Columbus*.—Month of May, 1906. Estimated population, 20,764; white, 12,244; colored, 8,520. Total number of deaths, 57; white 35, colored 22, including enteric fever 1, and 1 from measles.

IOWA—*Keokuk*.—Month of May, 1906. Estimated population, 16,000. Total number of deaths, 14, including enteric fever 1, and 3 from tuberculosis.

OTTUMWA.—Month of May, 1906. Estimated population, 23,000. Total number of deaths, 22, including 3 from tuberculosis.

MISSOURI—*St. Louis*.—Month of April, 1906. Estimated population, 710,000—white, 665,000; colored, 45,000. Total number of deaths, 846—white 760, colored 86, including diphtheria 11, enteric fever 5, measles 4, scarlet fever 1, whooping cough 12, and 130 from tuberculosis.

MONTANA—*Helena*.—Month of May, 1906. Estimated population, 13,000. Total number of deaths not reported. No contagious diseases reported.

NEW HAMPSHIRE—*Concord*.—Month of May, 1906. Estimated population, 20,000. Total number of deaths, 36. No deaths from contagious diseases.

FRANKLIN.—Month of May, 1906. Estimated population, 6,000. Total number of deaths, 12, including diphtheria 2, and 2 from tuberculosis.

NEW JERSEY—*Paterson*.—Month of April, 1906. Estimated population, 112,827. Total number of deaths, 177, including measles 1, and 28 from tuberculosis.

NEW YORK—*Saratoga Springs*.—Month of May, 1906. Census population, 11,822. Total number of deaths, 28, including diphtheria 1, and 2 from scarlet fever.

OHIO—*Zanesville*.—Month of May, 1906. Estimated population, 25,000. Total number of deaths, 37, including diphtheria 1, enteric fever 1, and 5 from tuberculosis.

PENNSYLVANIA—*Altoona*.—Month of May, 1906. Census population, 38,973. Total number of deaths, 65, including enteric fever 1, and 4 from tuberculosis.

DUNMORE.—Month of May, 1906. Estimated population, 17,500. Total number of deaths, 22, including 1 from scarlet fever.

UTAH—*Ogden*.—Month of May, 1906. Estimated population, 25,000. Total number of deaths, 14, including 1 from tuberculosis.